


# Safety Data Sheet

## SUMNER LABS - 210 PLUS

### Section 1. Identification

Product Identifier	SUMNER LABS - 210 PLUS		
Synonyms	N/A		
Manufacturer Stock Numbers	23305		
Recommended use	For use on LEXAN, PLEXIGLASS, LUCITE, ACRYLITE, ISINGLASS and other similar products.		
Uses advised against	NONE KNOWN		
Manufacturer Contact Address	Shield Packaging Co., Inc. 50 Oxford Ave. Dudley, MA, 01571 USA		
Phone	Emergency Phone	Fax	
(508) 949-0900	(800) 424-9300 CHEMTREC CHEMTREC 24 HR. Emergency Telephone Number	(508) 943-1473	

### Section 2. Hazards Identification

Classification	ASPIRATION HAZARD - Category 2 EYE DAMAGE/IRRITATION - Category 2B SKIN CORROSION/IRRITATION - Category 3 SPECIFIC TARGET ORGAN TOXICITY (Single Exposure) - Category 3
Signal Word	Warning
Pictogram	
Hazard Statements	May cause drowsiness or dizziness Causes eye irritation Causes mild skin irritation

	May be harmful or fatal if swallowed and enters airways
<b>Precautionary Statements</b>	
<b>Response</b>	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation is persistent, seek medical advice. If inhaled: Remove person to fresh air and keep comfortable for breathing. If skin irritation occurs wash with soap and water. If irritation is persistent, seek medical advice If swallowed: Immediately call a poison center. DO NOT induce vomiting.
<b>Prevention</b>	Avoid breathing dust/fume/gas/mist/ vapors/spray. Wash hands thoroughly after handling.
<b>Storage</b>	Store in a closed container
<b>Disposal</b>	Dispose of contents/container in accordance with local, state, national and international regulations.

Ingredients of unknown toxicity 0%

Hazards not Otherwise Classified

No Data Available

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
1344-28-1	ALUMINUM OXIDE	8-15 %

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-Aid Measures

<b>Inhalation:</b>	Remove affected person to fresh air.
<b>Skin Contact:</b>	Wash off with mild soap and water. If irritation develops or persists, seek medical advice.
<b>Eye Contact:</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye. If irritation persists, seek medical advice.
<b>Ingestion</b>	If swallowed, IMMEDIATELY call a poison control center or doctor for treatment advice. Do not induce vomiting.

### Section 5. Fire Fighting Measures

<b>Suitable Extinguishing Media</b>	Carbon Dioxide, dry chemical, mist or water spray. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
-------------------------------------	--

Unsuitable Extinguishing Media N/A

## Section 6. Accidental Release Measures

Spill Cleanup Wipe or mop up spill immediately.

## Section 7. Handling and Storage

Handling and Storage KEEP OUT OF THE REACH OF CHILDREN  
Store in a closed container.

## Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	ALUMINUM OXIDE	N/A	N/A	N/A
Personal Protective Equipment	Gloves, SAFETY GLASSES			

## Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Milky white
Odor	Solvent
Odor Threshold	N/A
Solubility	N/A
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	0.9
Density lbs/Gal	8.3
Pounds per Cubic Foot	N/A
Flash Point	N/A
FP Method	N/A
pH	6-8
Melting Point	N/A
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

## Section 10. Stability and Reactivity

Stability: This is a stable material.  
Possibility of Hazardous Reactions: Will not occur.

## Section 11. Toxicological Information

Skin Corrosion/Irritation: Skin Corrosion/Irritation Category 3  
Serious Eye Damage/Eye Irritation: Eye Damage/Irritation Category 2B  
Inhalation: Specific target organ toxicity (single exposure): STOT Single Exposure 3  
Ingestion: Harmful or fatal if swallowed and aspirated into lungs

## Section 12. Ecological Information

Ecotoxicity: This product may be toxic to fish or other aquatic organisms. Do NOT discharge effluent containing this product into sewer systems.

## Section 13. Disposal

Disposal Method: All wastes must be handled in accordance with local, state, national and international regulations.

## Section 14. Transport Information

UN Number: N/A  
UN Proper Shipping Name: N/A  
DOT Classification: NOT REGULATED FOR TRANSPORT  
Packing Group: N/A  
Additional Information: IATA - UN Number:  
IATA Proper Shipping Name:  
IATA Transport Hazard Class:  
IATA Packing Group:  
  
IMDG UN Number:  
IMDG UN Proper Shipping Name:  
IMDG Transport Hazard Class:  
IMDG Packing Group:

## Section 15. Regulatory Information

CERCLA Hazardous: None listed.

Substance List (40 CFR  
302.4):

## **Section 16. Other Information**

Revision Date

11/14/2018

Disclaimer:

The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others and is believed to be correct as of the date issued.